

Mechow® Med HFT Plus-All IN

Original Mechow Sound®

Type	Speaker System activ, mobil
Impedance	4 Ohm
Rated power	RMS 2x 20Watt/1x 40Watt
Music power	80 Watt
Frequency range	20 – 20000 Hz
Weight	22,9 kg
Supply voltage / operating voltage	230V/ power supply 12V/3A
Pole terminals	Color code

High/Middle Speaker

Cone patented	
Frequency response	150 – 25000 Hz
Mounting tripod	M10
Diameter	Ø 150 mm
Height	270 mm
Color	Standard Silver RAL9006/ Powder RAL 9006
Weight	1,4 kg

Main unit with handle and protective cover with Subwoofer / Operating level / amplifier electronics

Frequency response	f3 – 150 Hz
Subwoofer	radiates downwards
Dimension	485 mm x 270 mm x 245 mm
Color	Standard Silver RAL 9006
Weight	10 kg
Integrated single-channel power amplifier 3x	
Rated power	2 x 20 Watt, 1 x 40 Watt 12 Volt RMS
In Phase Subwoofer	0/180° switch

Controller

Switch	3D /Mono
Master Volumen	adjustable
Volumen Left/Right	separately adjustable
Switch int / extern Input	Mediaplayer / extern Input Cinch
Switch int/ extern loading	USB C
Mediaplayer	variabel
Data Input	USB C
Power switch	Off/On
Dimension (H x L x D)	75mm x 250mm x 155mm
Weight	600g

Accessories:

Tripod	2x Aluminium/ height adjustable
Height	690 mm – 1200 mm
Color	Silver
Weight	1,9 kg
Cable	2 x 0,75mm ² x 3m / White, connector for speakers 4mm
Transport case	With rollers
Weight	12,5 kg
Dimension (HxLxD)	450 mm x 505 mm x 275 mm
Mediaplayer	Shangling Q1
Incl. Micro SD 16GB	2 TB, 1 SD micro Slot
Format for playback	APE, FLAC, WAV, ALAC, AIFF, DSF, DIFF WMA, AAC, OGG, MP3, OPUS
Resolution	32 Bit/384 kHz, DSD64/128
Converter	ESS Sabre ES9218P
Connectivity	USB C USB-DAC mit 24 Bit/192 kHz/ Bluetooth 4.2
Touchdisplay	2,7“
Color code	Blue or other
Dimension (HxLxD) data preinstalled	75 mm x 62 mm x 17 mm



Patented cone.

